
LUDOTECNIA TECHNICAL RIDER

XXX



EQUIPMENT TO BE PROVIDED BY THE PROMOTER

TABLE:

dimension : Length: no less than 160cm - Width: no less than 80 cm - Height: approx.. 80cm (dressed in black if possible) Plank must be no thicker than 3cm in order to grab three lamp clamps (If not possible, clamps must be screwed to the table)

SOUND SYSTEM:

1x high quality, full range sound system according to the capacity of the venue

LIGHTS:

No lights during performance / regular stage light before and after performance

VIDEO (example images below):

- Option 1 (Regular setup)
- Ix composite video (RCA) cable with enough length to cover the distance between stage table and projector input. Composite Video Signal is always preferable but if not available, an HDMI cable with same length properties is an option (Composite to HDMI converter will be provided by the artist).
 DLP projector, ideally with short throw lens and lamp with no more than 100 hours of use (Ratio: 4:3)

Option 2 (Panoramic LED screen)

Composite (RCA) Video Cable - Léngth: from table to computer.
Analog to Digital video Capture device (BlackMagic Intensity Shuttle USB can be provided by artist – ask in advance)
Computer with live video processing software to duplicate and mirror video capture in real time (Ratio 16:6)
suitable connection cable from computer to LED Screen Control System.

AUDIO:

1 audio monitor, stereo mix 2x JACK - JACK (6,35mm – 1/4") plugs – Length: <150cm 2x mono direct boxes or 1x stereo direct box

POWER:

1x extension cord (100/240V)

TIME:

Performance length : 20 to 45 min (to arrange with promoter) Assembly time: 1h 45min Disassembly time: 1h Sound and video check: 20 min

WEIGHT:

Total weight : 35 kg divided into following:


□ 1 semi rigid suitcase (78x60x34 cm): 23kg

□ 1 cabin backpack (55x40x24cm): 12kg

EXAMPLES OF BOTH VIDEO SETUPS:



REGULAR (Ratio 4:3)



LED widescreen (Ratio 16:6)

